


Screen Model Pet Door





The Hale Pet Door™ "Screen Model" is our most simple model. Its three styles are designed or can be modified to fit into almost any screen door or window screen as well as many screened rooms. The screen model has been especially simplified for this application and therefore only has a single flap and no security cover. Instructions for installation are either included in the box or are available on our website. In addition, we offer technical support when needed and professional installation is available in many locations nationwide.

SPECIFICATIONS:

Flap: Single flap made of flexible 3/16" clear PVC vinyl.

Main Frame: Extruded 6063-T5 aluminum with .063" wall thickness. The Under 1/2" model straddles the screen door frame on outside and bottom. Designed to accept frame thicknesses up to 1/2". Can be factory modified for thicker frames by removing the outside leg. Not used on universal model.

Spline Frame: Extruded 6063-T5 aluminum with .063" wall thickness. On Under 1/2" and Cutdown models it is attached to main frame and is the top and inner side of the pet door. On Universal models all four sides are made from spline frame.

Alnico5 Magnets: A 1/4" rod magnet 1 1/2" long made from an aluminum, nickel and cobalt alloy known for its strength and durability. Metal holders secure magnets into door frame. Door size determines number of magnets.

Strikes: Made of ferrous stainless steel. 1 1/2" long, 3/4" tall and 1/32" thick. U shaped with a center hole for a rivet to securely attach to the flaps.

Weather stripping: Flap is surrounded by 1/2" nylon pile for maximum insulation. Nylon is woven into a backing 9/32" wide and 1/32" thick.

OPTIONS:

Flaps: Training flap—use for a limited time when pet is timid and getting used to the pet door.

Frame Colors: Available in four color choices—Brushed aluminum, dark bronze, white and Arizona beige

Sizes: 12 standard sizes available from small to giant. Custom sizing also available.

Styles: Standard Under 1/2'' – comes with two sides main frame and two sides spline frame and is designed to sleeve over screen door frames with a thickness of 1/2'' or less. This model is completely reversible for installation in either corner of a screen door or window.

Universal – comes with four sides spline frame and is designed to be used with screen doors that have a frame thickness greater than 1/2". The door is held in place with metal retainers in the spline frame and we recommend adding our screen stabilizer bar at the top for additional support. This model is also completely reversible for installation in either corner of the screen door or window.

Cutdown – comes standard with two sides main frame and two sides spline frame and is designed to be used in installation locations over 1/2" thick including screen doors, windows, porches, lanais and more. This model is factory modified by trimming off one leg on the main frame so it will fit wider frames. Once the frame is cut down the screen pet door is no longer reversible.

Frame Configuration: In addition to the three standard frame styles or configurations above both the standard and cutdown models can be further customized by changing the number of each type of frame. Can be custom configured with four main frames that can be cut down to attach to screened porches or other locations. Three side main frames and one side spline frame doors are perfect for sidelights or framed in lanais. Spline frame can be located on the top or the sides depending on the installation location.

Screen Stabilizer Bar Kit: This bar attaches at the top of the screen pet door and gives further support by providing more anchor points to the people door. Contains a stabilizer bar in the color matching the screen pet door, 2 aluminum clips to attach the bar to the people door, 2 metal screen retainer clips to attach the bar to the pet door and the appropriate screws and drill bit. Available as an option on all sizes of our pet doors.

OUTSTANDING FEATURES:

- Easy to Clean
- Effective Insect and Rodent Control

APPLICATIONS:

Designed to be installed through almost any screen

- Screen Doors
- Window Screens
- Screened Porches and Lanais
- Sidelights

Not functional for security screen doors